GENERAL AND REVENUE SECRETARIAT.

1910-11.

(Genl. Misc.)

File No. 242-10

Serial Nos. 1—11

Papers Filed.

Month May 1912

SUBJECT.

Purchase of 'Kyl Fire' tubes for the use of the several offices in the State.

PREVIOUS REFERENCES.	LATER REFERENCES.

K.N. Krishnaswamy Jr

G.I.S.11] 1910-11

GENERAL AND REVENUE SECRETARIAT

(G. M.)

NOTES.

G.M. File No. 242 of 10-11

FILE HEADING.

Purchase of 'Kyl Fyre' tubes for the use of several offices in the State.

From

Messrs Needham Brothers
13. Sudder Street, Calcutta

No. Dated 28th July 1910 Received

Diary No. 524	Enclos.	Spare Copies	Serial No. 1

BRIEF ABSTRACT OF LETTER.

Offers to supply the Mysore Government with 'Kyl-Fyre' tubes at the special rate of Rs 6/8 per tube on a consolidated order.

NOTES AND ORDERS.

Dewan's orders:-

"Secretary:

This gentleman told me that the Supdt. Govt Posts & others (he named two, I think) had given him orders."

Dr. T A R
30-7-10

NOTES—First sheet

GPB—30,000—3-4-07.

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Govt Press / (for enquiries & orders)
Govt Br Depot :- (D.C. Rajpeelia)
Cons^r of Forests / 2
Rev. Com^r.
Supt. of Surv.
I.G. of Police ~ 30
I.G. of Edn ×

Mr Needham, in the letter under disposal offers to supply "Kyl Tyre" tubes at Rs 6/8 each* in case a consolidated order is placed for the requirements of the various post offices, as far as possible. May we ask the Heads of the marginally noted offices, d.o.y, to let us know their reqts?

Draft Abd

2.8.10

Secy)

* Catalogued price: Rs 8/-

Issue as revised

28/10

2.8.10

V)

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—45,000—19-5-08
Issued. No.G 794–800 dy 6-8-10

Secy

2½+2

Steam Draft

210 G 794-800
Dy 6-8-10. Encl

Genl & Rev Dept

Bangalore 2d Aug 1910

My dear Sir,

I am directed to send herewith a copy of a letter and prospectus re "Kyl Fyre" a device to put out fires. The agent for India offers specially favourable terms (Rs 6/8 a tube) in case the orders for the various Fort buildings etc to be protected are amalgamated in one order as nearly as possible

Please let me know whether you require the appliance, and if so what number of tubes are wanted, so that your requirements may be included in a consolidated order to be sent from the Secty. Each Office or Dept will have to meet the cost from its contingent grant.

Yours sincerely

typed
Mukherjee
3/8/10.

NoG 794-800 dt 6.8.10
Encl

Govt Press
Govt Book Depot
I G of Police
Conservator of Forests

GOVERNMENT OF MYSORE

Dist Office, Bangalore
Rev. Comr's Office
Survey Supdt's Office
I G of Edn

R S, Bangalore
2 Aug 1910

Sir,

I am directed to send herewith a copy of a letter from [illegible] re 'Kolynos' a device to prevent [illegible] tires' to be kept in the various Govt Offices as a precaution against fire. You are requested to [illegible] agent for Madras [illegible] offer Government favourable terms (Rs 6-8-0 a tube) [illegible]

~~Issued~~ by the agents for ~~India~~ in case the orders for the various but buildings etc: to be protected are amalgamated in one order as usual. Please let me know ~~what number of tubes you would want~~ whether ~~require~~ for the offices in your charge ~~and on~~ order to that your requirements may be included in a consolidated ~~indent~~

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

4

Kyk - Fyre

Dewan's order :—

" To
Secy.
This seems to be worthy of your attention."

(Intd) T. A. R.
27/7/1910.

Secy's note :—

" Regd.
What precautions are being taken to prevent fire &c in the office (records especially) Would it not be useful to have some of these tubes in stock against accidents ? "

(Intd) C. S. B
1/8/10.

No particular precautions are at present being taken against fire. We might with advantage buy a doz tubes (costing Rs 96/-) and distribute as below:

Stores : 4
Old Records : 4
Vern Records 4

GPB—45,000—09-5-08

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

Yes - Please include in estimates

J.R.S. 13]

(P 2)

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Submd

No consolidated indent in respect of the articles of the kind in question is being prepared.

Draft letter ordering for a dozen tubes of Kyl-bjne is put up.

RG
4/8/1910.

I believe that Br V is asking certain heads of Depts whether they want any of these tubes, in order that a consolidated order might be sent for securing special rates. Please find out

4.8.10

Br V. for favour of reply & action

RG
4/8/10

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

DA

GPB—45,000—19-5-08

G.R.S. 13]

6

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

D. 688 & 9.8.10

D.O. No 64 & the 8th Augt 1910 from the Revr. Comr. stating that his office is being held in a rented building and that it is not possible for him to say how many tubes may be reqd for protecting it against accidents by fire & suggesting that the P.W.D. may be consulted.

Replies from other officers are yet due. This may wait the completion of all replies.

DOS 11/8/10

JG

WRy 12.8.10

D. 675 & 9.8.10

D.O. & 8.8.10 from the Supdt Govt Press stating that recently Messrs Needham Brothers, Calcutta have supplied six tubes to the Govt Press at Rs 8/- each & their bill is pending payment that in view of the revised rates, it may be possible to manipulate these in the consolidated order from the Secy -

Subordinates

DOS 11/8/10

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

R. S. 12]

General and Revenue Secretariat. | File No. [illegible] of 1910

Serial No.

D675

Mysore Government Press,

Bangalore 8th Augt. 1910.

Dear Sir,

With reference to your D.O. No. Q 794-800, dated 6th instant re "Kyl Type" let me inform you that recently Messrs Needham Brothers, Calcutta have supplied the Government Press, Bangalore with six of these tubes at 8 Rupees each, and their bill is pending payment. In view of your letter perhaps it

NOTE—Contn. sheet.

GPE—6,000—17-6-12.

0688
5

OFFICE OF THE REVENUE COMMISSIONER
IN MYSORE.

Bangalore, 8th August 1910. 19

Dear Sir,

With reference to your D.O.letter No.794-800 dated 6th August 1910 re "Kyl Fyre", I am desired by the Revenue Commissioner to state that this office is held in a rented building and that it is not possible to say how many tubes may be required for effectively protecting it against accidents by fire. The Revenue Commissioner would therefore be glad if the Public Works Department is consulted in the matter and is requested to state how many tubes may be kept in this building as a preventive precaution and to instruct the office servants clearly as to the composition of the tubes, how they should be preserved and how they should be used in cases of emergencies.

I am,

Yours sincerely,

B Venkobarao

N.Rama Rao,Esq.,B.A.,B.L.,
Registrar, General & Revenue Secretariat.

G.R.S. 13]

9

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

D 730

Letter No 75* of 11th August 1910 from the Supt Geo Survey requesting further information regarding "Kyl Type" Tubes -

Subd

The prospectus reed from Messrs Needham Bros - may be sent to the Survey Supt for noting the information reqd & return to this office

RG VS
16/8/10

Yes
HR
16.8.10

Draft noted
RG VS
17/8/10

Issue
HR
17.8.10

Issued
No G. 1171
Gen. 1
9/24.8.10.

P.T.O.

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—35,000—21-4-09

No 75

Office of the Superintendent
Mysore Rev Survey.

Bangalore 11th August 1910

D35
5

Dear Mr Rama Rao,

Your D.O. letter No. G 794-800 dated 6th August 1910 re "Kyl Fyre" Tubes. The prospectus sent by you does not contain sufficient information regarding the capacity of each tube. It is not known how much of space would be protected by one tube or how many tubes would be required for a room 20 ft long and 15 ft broad. If you will kindly enlighten me further on the nature and capacity of the appliance,

I

I shall be in a position to
inform you whether any tubes
are required for my Depart-
-ment.

Yours Sincerely

D. Shama Rao

Superintendent of
Revenue Survey

N. Ramakrao Esqr. B A B L.
Registrar Genl & Ex Secretary

G.R.S. 29A] DO

190 11

From

Secy. to the Govt. of His Highness the Maharaja of Mysore, Genl. and Rev. Dept.

To D. Shamarao Esq
Supdt, Revenue

Dated

Despatched 24. 8. 10.

Received

General No. G. 1171

No.

Enclosure No. one

Dear Sir,

With refee to your D.O. letter no 75 Q. 11.8.1910 asking for certain infor- -mation regarding "Lyle Type" (fire Extinguisher), I am desired to for- -ward herewith for refee & early return a copy of the prospectus regarding the same.

Yours &c

VS

MGCPB -20,000 -16-2 05

G.R.S. 13]

12

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

D. 866.

From the Conservator of Forests.
No. 1739. dated the 17th August 1910.
In reply to the Registrar's D.O. No. G 794-800 d. 6th August 1910, states that he would undertake to take two tubes in question, if their usefulness is proved by experiment.

D. 966.

Asst to the
From the D.I.G. of Police.
No. 8. dated the 24th August 1910.
In reply to the Registrar's D.O. No. G 794-800 d. 6.8.10 ~~states~~ requests to cause this tubes to be supplied to the Police Deptt.

D 1578

From the Superintendent
Mayurbhanj Rly Survey.
No. 90. dated the 28th Sept 1910
In returning the

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—55,000—21-4-09

G.R.S. 13]

13

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

1576

The Kyl Fijre Prospecting
States that he will visit
& see how it works, &
then apply for some
tubes, if necessary.

Submitted

Replies from the
1) Dy of Education and
2) the Dc. Bangalore
~~the Collector, Cost~~
~~Book Depot~~; may be
awaited.

BSP
5.10.1910

HAL

D 2358.

From the Asst to the D Gof
Edn.
Letter dated the 26th Nov 1910
Requests that a copy of the
letter (no: A 794-800) may
be sent to him. etc.

Rej. X

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—55,000—21-4-09

P.T.O

1V0. 1/34

D 886

COLA LODGE,

17TH AUGUST 1910.

Sir,

In reply to your D. O. No. G.794-800 of the 6th current, I have to say that I do not know whether these "Kyl Fyre" tubes are of any practical use, except in the case of small fires. If their usefulness is proved by actual experiment, I would undertake to take two.

Yours truly,

To

N. Rama Rao, Esquire, B.A., B.L.,

REGISTRAR,

General and Revenue Secretariat.

D556

Bangalore,

D.O.No.8 27th August 1910.

My dear Sir,

Your D.O.No.S.794-600 dated 6th instant, re "Kyl Fyre" to the address of the Inspector-General of Police.

With reference to the above, I request you to cause thirty tubes to be supplied for use in this Department as detailed in the margin. As desired in your letter under reference, the cost will be met from the contingencies of the respective offices.

Yours sincerely,

[signature]

W.Rama Rao Esquire, B.A., B.L.,
Registrar, Genl and Rev. Secretariat.

No 90 Office of the Supdt
Mysore Rev Survey
28th September 1910

D. 1578
5

Dear Sir,

In returning with thanks the prospectus regarding "Kryl Fire" - received with Mr Rama Rao's DO No. 1171 of the 24th August last, I write to inform you that I shall wait and see how it works

elsewhere and then
apply for the said
appliance if necessary.

yours Sincerely.

D. Shannon Rao

Superintendent
Mysore Rao Survey

To

The Registrar
General of Rev Secretariat

G. R. S. 12]

General and Revenue Secretariat.

File No. 24 of 1910

17

Serial No.

D. O. ✓2358

OFFICE OF THE INSPECTOR GENERAL OF EDUCATION IN MYSORE.

To P. Venkatasubbaiah for kindly arranging

Bangalore, 26th Nov. 1910.

Dear Mr. Ramaswamy,

The enclosed reminder letter is coming by the same mail in which I sent the letter addressed to Mr. Venkatasubbaiah. There is no reference file coming here like - would you mind enquiring if it is convenient to him to have a copy of the letter under reference?

Yours truly,

V. Krishnaswamy Iyengar

V. 28/11/10.

P.D.

G.R.S. 13]

18

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

2358

Flag. Z

Flag. X

Subd.

Perhaps the Kyl Tupe Prospectus may also be sent along with a copy of the letter refd to.

Draft put up for approval

RSP 148 29.11.10 } VS.41

Issue RN 29.11.10.

Issued No. G. 3415 of 3.12.10

S.11

D. 2725. From the DGoS Bombay

Letter no. 5733/413 d. 20.12.10

States that his office does not require any tubes etc.

Subd.

The Deputy Controller, Bangalore Dist., has not yet replied to this office no G. 794-800 d. 6th August 10.

A draft reminder is put up:

RSP MD 23.12.10 VS.41

Issue RN 23.12.10

Issued No. G. 3859 of 31.12.10

S.11

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB 35,000—21-4-09

G.R.S. 26]

1·1

File No.

Serial No.

Diary No. of letter replied to

General and Revenue Secretariat

( )

, *the* 19 .

Date of issue 3-12-10

Signed by Mr B. Ramaswamy Iyengar

Y No. G. 3415

Edn. I

To

Dear Sir

With reference to your D.O. letter ~~dated~~ dt 26th addressed to Mr. B. Ramaswamy Iyengar. Nov 1910 I am directed to send herewith a copy of letter No. G 794-800 d. 6. 8.10 and prospectus re "Kyl Fyre" a device to put out fire, for reference and early return to this office.

I am to request you to be good enough to intimate at an early date the no. of tubes that may be required for use in your office.

Yours Sincerely

Bn

over.

To

The Assistant to the Inspector General of Edn in Mysore Bangalore.

SUBJECT.

V.S. 4/

D 2725/5

20

Edn. 81]

5633

No. 413

OFFICE OF INSPECTOR-GENERAL OF EDUCATION IN MYSORE,

Bangalore, 20th December 1910.

From

J. WEIR, ESQ., M.A.,

Inspector-General of Education in Mysore.

To C.S.Balasundaram Iyer Esq., B.A.,

Offg. Secretary to the Government of H.H. the Maharaja of Mysore, General and Revenue Departments, Bangalore.

SIR,

With reference to your D.O. letter No.G.3415 of the 3rd instant forwarding a copy of letter No.794-800 dated 6th August 1910 from the Agent for India, I have the honour to inform you that this office does not require any of these tubes as there is no contingent amount to spare.

I have the honour to be,

Sir,

Your most obedient servant,

J. Weir

Inspector General.

T.N.R.

V
15/1 Fr.

urgent. 6 2966

1910-11

From The Deputy Commissioner,
Bangalore District.

To The Secretary to the Govt
of Mysore
Genl & Rev Departments.

Dated 9th
Despatched 10th January 1911
Received

General No. 283
S. No.

Enclosure No. nil.

Secy's D.O. No. S. 794—800,
dated 6th August 1910.

Requesting to supply this
Office with one tube re
Kyl. Fyre a device to put
out fires.

DEPUTY COMMISSIONER'S OFFICE,
BANGALORE DISTRICT.
DATED, BANGALORE 9th January 1911.

S. No 293

From,

B. J. Kumarasami Naik Esquire
B.A.,

Deputy Commissioner,
Bangalore District.

To,

C. S. Balasundaram Iyer Esquire B.A.
Offg: Secretary to the Government
of Mysore
General & Revenue Departments.

Sir,

With reference to your D.O. letter No G. 794–800, dated 6th August 1910, forwarding copy of letter dated 28th July 1910, re "Kyl-Fyre" (a device to put out fires) from Needham Brothers, Calcutta, to the Dewan of Mysore and enquiring how many tubes are required for use in the Bangalore District, I have the honor to state that six tubes are required for use

(1) For the District Office.
(2). For the Taluk of Hoskote
(3). — Do — of Kankanhalli
(4) — Do — of Channapatna
(5) — Do — of Devanhalli
(6) — Do — of Closepet

in this District for the marginally noted Offices, and to request to be kindly supplied with the said number of tubes.

I have the honor to be,
Sir,
Your most obedient Servant.

H V Keenaran

for Deputy Commissioner,
Bangalore District.

WRG

G.R.S. 13]

Routine Notes.

23

[To be used only for notes, requisitions, etc., not intended for permanent record.]

D. 2966.

From the D.C. Bangalore

Letter no: 283 dt 9 January 1911.

Requests the supply of six tubes of Kyloff fire to his office.

Subd

Of the officers who were consulted as to how many tubes of "Kyloff" they would require for the protection of their offices against fire accidents, the Dy of Police states that he requires thirty tubes, flag Z. the Dy Conservator, Bangalore District, six, flag Y the Conservator of Forests, two, flag S the Supdt, Govt Press,

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—45,000—19-5-08

P.T.O

G.R.S. 13]

Routine Notes.

24

[To be used only for notes, requisitions, etc., not intended for permanent record.]

States that Messrs Meetham Brothers of Calcutta have already supplied his office with six tube at 8Rs/- a tube and that their bill is pending payment

Flag X

while the Superintendent Rev. Survey ~~Rev. Commissioner~~ states that he will wait and see how the device works in other offices and does not say definitely how many tubes he would require, if their necessity is proved.

Flag Q

The Rev. Commissioner desires that the P.W. Depte

Flag P

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—45,000—19-5-08

R.T.O

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

may lier consulted in the matter dasd to state how many tubes would be necessary for his office, which is a rented building.

Flag P

The DIG of Educatn states that he does not require any, as there is no Contingent amount to spare.

Flag W

under the circumstances a consolidated order for 4 dozen tubes may be given to Messrs Needham Brothers, if approved.

The firm may be asked to charge only the Concession rates (viz 6/8 per tube), for the six tubes

Distribution.

DIG of Police - 30 tubes
D.C. Bangalore — 6
Conservator of Frts — 2
Secretariat - 10

Total 48.

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—45,000—19-5-08

IPTO

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Vide flag X

supplied to the Supdt Govt Press (and not Rs 8/ per tube, as the Supdt states in his letter

389. 148 18.1.11 } 1911

Rm 18.1.11.

Secy/

We regret [illegible] 29/1/11

Subs

A draft requesting the firm to supply this office with four dozen tubes is accordingly put up for his approval.

389. 148 30.1.11 }

Issue Rm 30.1.11.

Issued Rc. 4599 & 4600 of 7.2.11.

P.T.O

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

G.P.B—45,000—19-5-08

Routine Notes.

27

[To be used only for notes, requisitions, etc., not intended for permanent record.]

A-2559

From messrs Needham & Boo
to
Calcutta.
Letter dated the 13th instant
- Acknowledges receipt
of this office letter no: A 5599
d. 7. 2. 1911. and states that 48
'Kryl fyre' tubes will be forwa
ed carefully packed, ~~Along~~ that send
the Railway Receipt, with the bill
with the bill of costs etc.
They further states that
it is not fair to ask them to
charge the special rates for
the six tubes already supplied
to the Supdt. Govt Press.

Submd
May the receipt of the
Railway parcel be awaited

RSL
ICD
17.2.11
Kms
17/2

Yes
RM
17.2.11

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—45,000—19-5-08

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

A 3633

Letter dated the 14 Feb 1911
From Messrs Needham
& Brothers,
Calcutta.

Confirms his letter dated the
13th Febr 1911 & regd to in
the previous page, & the
Railway Receipt & bill in
duplicate with the request
that a cheque may be sent ~~to~~
for the amount payable
to him.

The Railway receipt was given
to the Cash section for further
action.

This may be kept in
Secs, till the Railway
parcel is received in
the Cash Section.

P&S
11
11
16/3/11

The parcel in question
has this day been rec'd &
kept in the Stg Room.

8-3-11

P.T.O

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

G.P.B—45,000—19-5-08

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

3633

Subject

From the Station Master
Bangalore City.
To S. Ry. Co.

No. 296. d. 7. 3. 11.

Informs this office of the arrival of the Rly Parcel containing 48 'Kyl Tyre Tubes' etc.

Subject

The cash section has paid Rs 20-2-0 as freight for the parcel in question, which now lies in the Office Stationery room.

Vide
No. 296 from Stn Master.
(Paper under disposal)

( )

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—45,000—19-5-08

(P. T. O

G. R. S. 12]
General and Revenue Secretariat.

Gen File No. 242 of 1910—11 30

Serial No.	
3633	Secretary's order "Registrar". Dated C. S. 1. 8. 1910.
2.	To Messrs Needham Brothers of Calcutta. No 4599. d. 7. 2. 11. Requests supply of four dozen 'Kyl Fyre' tubes at Rs 6/8 per tub to this office.
3.	From the above.
D. 3559	Letter dated the 13th Feby 1911 Acknowledges receipt of the above and states that the tubes wil be forwarded safely packed etc.
4.	From the above. Letter dated the 14th Feby 191 Confirms the above, & sends their bill in duplicate duly receipted for payment & the Ry. Receipt & requests that a Cheque be forwarded to them duly enfac for payment at Calcutta. Subd. Three drafts ~~accepted~~ are put up for approval.

BS. 148 18.3.11 — 46 / 18.3.11

May be approved
RM. 18.3.11

Secy

NOTE—Contn. sheet.

GPB—50,000—12-8-10

Serial No.

Issue
dy
28/3/11

5 To the Compt.r, I.G. of Police, D.C. Bangalore & Conservator of Forests. No. G. 5798-801 dy 4. 4. 11.

Sanctions the purchase of 4 dozen "Kyl Type tubes at a cost of Rs 316/- for distribution among the officers shown in the list annexed, the cost being met proportionately from the contingent grant of the several offices concerned, and forwards the bill to the Compt.r for audit and payment to messrs Needham Bros: Calcutta, & directs that the charges of Rs 20-2-0 incurred by the S.R.S as freight of the parcel of the tubes be also proportionately distributed among the offices concerned.

6 To messrs Needham Bros. Calcutta. No. G. 5802 dy 4. 4. 11.

Intimates that the Compt.r has been asked to pay them the amount refd to in the above & requests acknowledgment of the receipt of the same.

7 To the D.I.G. of Police, D.C. Bangalore & Conservator of Forests. No. G. 5803-5 dy 4. 4. 11.

Forwards 30, 6 & 2 tubes respectively & requests acknowledgment.

To the cash Section for taking into their custody the box containing 10 tyl[illegible]

NOTE—Contn. sheet.

GPB—50,000—12-8-10

Serial No.

3633

~~tubes and distributing them among the Divisions~~ of the Circle ~~Gardens~~.

BSL. 15.41
148
5/4/11 6-4-11

The Cash Cert. may take charge of the tubes and distribute as follows:- Gen. Rec. 4. Stores 4 + Sem Rec. 2.

BM.
8-4-11.

To ~~DRX~~ Srirangachar for distribution according[ly]

8/4/11

8. From the Dc Bangalore
No. 443 d. 10-4-11
Acknowledges receipt of the six tubes refd to in Sl. 7 above.

9. From the Conservator of Forests
No. 9458 d. 17-4-11.
Acknowledges receipt of the 2 tubes refd to in the above.

10. From the Comptroller.
No 6313 d. 21-4-11
Frds a Copy of his letter no: 6312 d. 21-4-11. forg to messrs Needham Sons of Calcutta a cheque for Rs 3161/- drawn on the Bank of Madras in their favour

NOTE—Contn. sheet.

GPB—50,000—12-8-10

Serial No.

5006

on account of the cost of 'Kylfyx' tubes refd to above.

Subd for. perusal.

BSS 148 21.4.11 } VS.41

Seen BN 24.4.11.

SWS

The I. G. of Police has not yet acknowledged the receipt of 30 tubes forwarded & him with Sl. 7 & Flag W.

May a reminder be sent now?

46 2.5.12 VS.41

Yes. This should have been done earlier.

BN 3.5.12

Walk Dft. reminder submitted.

Rajn) 46 4.5.12 VS.41

Issue BN 6.5.12

Sd. Remdr. issued. G 60 5-8, D. 10.5.12

11. From the I. G. of Police, Dr. 4949/18.5.12 — Acknowledges the receipt of the 30 tubes forwarded with Sl. 7.

Messrs Reid Lamb Bros have not sent the acknowledgment asked for in Sl. 6. Dft asking for the same is subd.

46 28.5.12 VS.41 No reminder

NOTE—Contn. sheet.

G. R. S. 12]
General and Revenue Secretariat.

G. M. File No. 242 of 1910-11.

Serial No.

5808

Flag R.

to the firm appears
be necessary as the
troller himself has ca
for an acknowledgmen
from the firm. Vide SL 10.
be filed.
Submitted file
VS. 41
29-5-12

hm
29.5.12

NOTE—Contn. sheet.

GPB—50,000—12-8-10

INDIAN LICENSE.

TELEGRAMS "KYLFYRE, CALCUTTA.

Gm 242-10-1

Sole Proprietors and Manufacturers under License of "KYL-FYRE" in India.

NEEDHAM BROS.,

~~4, Lower Rawdon St.,~~

Offices. 4. Nasleya Street CALCUTTA.

address for 1 month 48A. Richmond Road. Bangalore.

July 28th 1910.

To L. Ananda Rao. B.A.
Diwan to H.H. The Maharaja of Mysore.
Mysore.

Dear Sir,

Re "Kyl-Fyre"

I beg to confirm my conversation with you re the above of yesterday in Bangalore, & now submit my offer to furnish you for the Mysore Government "Kyl-Fyre" Tubes at P 6/8/- per Tube, according that the orders for the various buildings to be protected are all incorporated in one order as nearly as possible.

As intimated to you yesterday I recently gave a Test of Kyl-Fyre to Major B. Co. Bellairs C.S.E. Superintending Engineer of the Cauvery Valley Power Factory, Sivasamudram. He had been instructed by the Inspector of Explosives to have this Test made & the Board was an order for 100 Tubes of Kyl-Fyre for the protection of that Factory & the price quoted to you above is the same as in this order.

"Kyl-Fyre" has stood the Test of the British Market since 1904 & over a million Tubes the Kyl-Fyre has been introduced into India 2 years ago. & have sold nearly 18000. of which the Government of India 4500. & we have a record of 28 actual fires without a loss.

Kyl-Fyre is especially adapted for the Protection of the Interior of Buildings. Record Rooms, Libraries, Offices &c. as in such cases instantly without water or liquid Chemical Soaking. On oil or Petrol fires it cannot be beat & we have a record of 12 Motor Cars on fire & the fire extinguished by Kyl-Fyre. 8 of these cars got alight with 1 Tube. 3 with 2. & 1 with 3. & the Chauffeurs & Owners all accredit an emphatic 2 to each car. & in England on Motor Cars saved over 300.

We place with the 2 fittings each Tube is fitted with & without delay makes Kyl-Fyre Tube is guaranteed to last indefinitely & without deterioration. Every Tube is tested before leaving our Factory for instant use.

1. Should any Kyl-Fyre Tube be required to be re-charged at any time it can be done Free of charge & Tubes used in case of actual fire. So that the purchaser has to replace Free of charge only the 28 Tubes to date in India we have supplied for use all the Government Motor Cars in the City &c. & in the 28 Fires to date in India we have replaced 136 Tubes used.

2. The Tube should be hung 6'6" from the ground on a nail or hook & when required for use all the operator has to do is to grasp the Tube firmly, give a rapid pull downwards which releases the cap & then direct the nozzle & jet of Kyl-Fyre on the fire & with a sweeping motion from the centre to the sides of the flames. In a few seconds after striking the fire is extinguished & all flames cease at once. Compare this rapidity in extinguishing with any other Fire Appliance.

We will give this matter your kind consideration, & hope to hear from you soon.

Yours faithfully
Charles A. Needham

"KYL-FYRE,"

THE MOST EFFECTIVE & CHEAPEST FIRE EXTINGUISHER.

INSTANT EXTINCTION OF ALL OUTBREAKS OF FIRE,
from whatever cause, including Electricity, Petrol, and Oil.

ADOPTED BY THE LEADING CORPORATIONS, MOTOR 'BUS COMPANIES, ELECTRICITY WORKS, FACTORIES, HOSPITALS, UNIONS, COLLEGES, HOTELS, TRAINING STABLES, & COUNTRY HOUSES.

OVER ONE MILLION NOW IN USE.

"KYL-FYRE" IS THE ONLY FIRE EXTINGUISHER THAT HAS BEEN THOROUGHLY TESTED BY THE BRITISH FIRE PREVENTION COMMITTEE at their Testing Station, St. John's Wood, N.W.

SOLE PROPRIETORS & MANUFACTURERS IN INDIA
(UNDER LICENSE FROM "KYL-FYRE" LTD.)

NEEDHAM BROTHERS,

FACTORY AND HEAD OFFICE: CALCUTTA.

TELEGRAMS: "KYLFYRE," CALCUTTA.

4, HASTINGS STREET

Proprietors and Manufacturers:—"KYL-FYRE" LTD., London and Eastbourne, England.

INDIAN LICENSE.

NEEDHAM BROTHERS,

OF SHILLONG,

HAVING purchased from "KYL - FYRE" LTD., of London and Eastbourne, England, all the rights for the manufacture and sale of "Kyl-Fyre" in India, take pleasure in bringing this Extinguisher before your notice, and are prepared to give practical demonstration of its efficiency when called upon to do so.

Price 8 Rupees per Tube.

THIS DRY POWDER FIRE EXTINGUISHER is especially adapted for installation in Large Buildings, Factories, Stables, Garages, Electric Power Stations, &c.

It is got up in a specially well-made air-tight Tube, 20 inches in length by $2\frac{3}{4}$ inches in diameter, and contains nearly 6 lbs. of powder.

ALL TUBES USED IN ACTUAL FIRE RE-FILLED FREE OF CHARGE.

HEAD OFFICE:—

2, HASTINGS STREET.

MILL EQUIPMENT IN LANCASHIRE, ENGLAND, FOR 1907.

Albion Mill Co., Great Harwood
Aspden, J., and Sons, Springfield Mill, Darwen
Aspin, A., & Sons, Highfield Mill, Darwen
Albert Spinning Co., Ltd., Darwen
Astley's Ltd., Reed Manufacturers, Blackburn
Albany Spinning Co , Ltd., Albany Mill, Middleton
Accrington Cotton Spinning Co.
Brookside Mill Co., Darwen
Bury Bros., Vale St. Mill, Darwen
Baron Bros., Watery Lane Mill, Darwen
Bannister Bros., Manufacturers, Blackburn
Bottomley's, W., Clothiers, Blackburn
Brown, W., & Co., Whitefield Mill, Nelson
Burnley Self Help, Healy Royal Mill, Burnley
Berry, R., & Son, Victoria Mill, Barrowford
Barker, J., Steam Laundry, Darwen
Bull Hill Hospital, Bull Hill, Darwen
Berkett & Bostock, 41 Great Underbank Street, Stockport
Borough Surveyor, Town Hall, Middleton
Byron, J., & Sons, Royal Mills, Droylesden
" " Victoria Mills "
" " Albion Mills "
Byron, J. R., Southport
Byron, C. A., Booth House, Fairfield
Collinson, Mr. J., Reed Mfctr., Darwen
Catlow, J., & Sons, Bolton and Blackburn Road Mills, Darwen
Carus, Alexander, St. Paul's Mills, Darwen
Christy and Son, Ltd., Stockport
Clegg, W. E., 30 Market Place, Oldham
Co-operative Society, Ltd., Droylesden
Crompton, H., and Co., Richmond Hill Paper Works, Blackburn
Christopher Bros., Tea Mchts, Blackburn
Carrington and Dewhurst, Holmes Hill, Nelson
Catlow, John, Commercial Mill, Padiham
Cottom, C. A., Reed Works, Padiham
Duckworth, M., & Sons, Vale Brook Mill, Darwen
Davies, T. P. & E., Cranberry and Watery Lane Mill, Darwen
Dugdale, J. & Sons, Mftrs., Blackburn
Duerden, R., Holmes Mill, Nelson
Daltry, J. B., and Sons, Reed Manufacturers, Darwen
Darwen and Mostyn Ironworks
Darwen Water and Engineer's Office
Darwen Electrical Works
Darwen (Lower) Co-operative Society, Fore Street, Darwen
Darwen (Lower) Conservative Co-op. Society, Darwen
Dronsfield Bros., Ltd., Atlas Wks., Oldham
Eccles Bros., Bottom Croft and Darwen Mills, Darwen
Eccles, N. & J., Two Gates and Waterside Mills, Darwen
Eccles, T. & R., Lower Darwen
Education Office, Ashton-under-Lyne
Electricity Works, Ashton-under-Lyne
Electricity Station, Middleton
Electricity Works, Stockport
Elliot and Crabtree, Miles Platting
Farmer, Sir James, and Sons, Adelphi Iron Works, Manchester
Fielding, T. & J. E., Bell Vue Mill, B'kburn
Fisher, Renwick and Co., Cornbrook Rd.
Fish, N., Hanover Mill, Darwen
Fullers, Ltd., Liverpool [Stockport
Faulder and Co., Ltd., Chocolate Works,
Foulds and Bury, Bankfield Mill, Nelson
Foulds, Thos., & Sons, Groon Shed, Colne
Green, G., & Co., Jubilee Mill, Padiham
Garden Street Mill Co., Blackburn
Gillibrand, R. T., and Co., Hollins Grove Mill, Darwen
Grahams, W. & E., Blackburn
Gibson & Kendren, Chapel St., Southport
Garden Vale Manufacturing Co., Colne
Halstead & Co., Printers, Padiham
Helm, Francis, Ltd., Victoria Foundry, Padiham
Hey Bros., Victoria Mills, Nelson
Helm Bros & Co., Vulcan Mill, Nelson
Halliwell, J., and Sons, George Street Mill, Darwen
Hunt, G. & J. T., Progress Mill, Darwen
Holden, M., & Co., Wall Paper Manufacturers, Blackburn
Hargreaves, J. & Sons, Darwen
Harwood Bros. Ltd., Hey Fold Mill, Darwen
Holden, J., & Sons, Hindle St. Mill "
Holden Harworth, Hoddlesden Mills "
Hoddlesden Co Operative Society
Heyworth, E., Audley Hall Mill, Blackburn
Holden Bros., Canal Mill, Blackburn
Hamer, E., Moorgate Mill "
Hogg, R., Reed Manufacturer, Blackburn
Hartley & Wilkinson, Pendle Mill, Nelson
Hartley, Ltd., Albert Mill, Nelson
Holt, W. T., Vale St. Shed, Nelson
Horne, H., Walverden Mill, Nelson
Harris, Bolton and Co., Vale Mill, Colne
Horsefield Bros., Cotton Manufacturers, Barnolswich
Hulse and Co., Ordsall Works, Salford
Hanison, G., & Son, Milliners, Stamford Street, Ashton-under-Lyne [Lyne
Hadfield Bros., Builders, Ashton-under-
Hirst Bros. & Co., Ltd., Roscoe St., Oldham
Hall, J., and Sons, Ltd., Union Iron Works, Oldham
Isherwood, J. & Co., Paper Manufacturers, Simonstone
Jewsbury & Co., 76 Deansgate, Manchester
Kaye Bros., Stockport [Darwen
Knowles, T., & Sons, Pipe & Tile Works,
Lewis Bros., Springfield Mill, Blackburn
Leach, N., Leach, Darwen
Lancaster, Wm., Cotton Mchnt., Burnley
Lucas, Ltd., Manufacturers, Blackburn
Logan, Muckelt and Co., 2 Charlotte St., Manchester
Lark Spinning Co., Ltd., Hollingwood
Lambert, J. W., Esq., Rush Bank, Middleton Road, Oldham
Moorby, J. J., Springbank Mill, Nelson
Mercer and Cartwright, Eanam Mill, Blackburn
Moore, T., and Co., Alma St., Blackburn
Martin Bros., Orchard and Cobden Mills, Darwen
Marchington, H., 66 Mosley Street, Manchester
Mather and Platt, Salford Iron Works
Murphy, A., 182 Regent St., Bootle
Marchington, T. E. & Co., Beetle Works, Droylesden
Mona Mill, Ltd., Hollingwood
National Gas Engine Co., Ashton-under-Lyne
Oswaldtwistle Collieries, Ltd., Church
Pickles Bros., Pendle View Shed, Brierfield
Pioneer Mill Co., Mill Hill, Blackburn
Porter, J. & J., Manufacturers, Blackburn
Place, J., and Sons, Hoddlesden, and Eccleshill Collieries, Darwen
Phillips, F., & Son, Deansgate, Manchester
Public Library, Ashton-under-Lyne
Price, G. H., Liverpool
Riley Bros. Walverden Mill, Nelson
Reed, J., & Sons, Turner St. Mill, Bl'kburn
Roan, W., Saddler, Darwen
Rawlinson, J., & Co., Industrial Mill, Darwen [Nelson
Ridihalgh and Cunliffe, Sholifield Mill,
Robinson, Messrs., Yarn Agents, Bl'kburn
Reiss Bros , 11 Quay Street, Manchester
Robertson, J., and Son, Preserve Manufacturers, Droylesden
Stanafield & Sons, Holme Mill, Rawtenstall
Shaw & Co., Throstle Nest Mill, Nelson
Spring Bank Mill, Darwen
Suddell Mill Co., Darwen
St. Cuthbert's Church, Darwen
Sames, G. G., Architect, Darwen
Shorrock, C., & Co., Bowling Green Mill, Darwen
Spencer and Nephews, Warehouse, Manchester
Seward, A., & Co., Lancaster
Saw Dust Co., Bootle
Tattersall, J., Seed Hill Mill, Nelson
Thompson, R., & Co., Nova Scotia Mill, Nelson
Times Mills, Middleton
Tomlinson, J., & Sons, Rope and Twine Works, Darwen
Turner & Bury, Provident Mill, Darwen
Thompson, L., Victoria Mills, Blackburn
Tomlinson, M. J. & W., Brick and Tile Works, Summerseat
The Ashton Motor Co., Ashton-under-Lyne
Unity Wood and Iron Co., Station Works, Padiham
Wilkinson, W., & Sons, East Bank Mill, Stockport
Westby, T. & Sons, Glebe Street Works, Great Harwood
Whittaker, J., Wellington and Dailyfield Mill, Padiham
Wilding Bros., Ltd., Mnftrs., Preston
Wilcock Bros., Ashton-under-Lyne
Wilson, J., Stamford Street, Ashton-under-Lyne
Wainman & Co., Parkfield Mill, Nelson
Ward, J., & Sons, Ewood and Lower Darwen Mills, Blackburn
Wipp Bros., Cotton Hall Mill, Darwen
Wardleworth, J., Progress Mill, Darwen
Woodside Mill Co., Darwen
Waterhouse & Co., 27 Church Street, Manchester
Williamson, North Mill Printing Works, Ashton-under-Lyne
Worrall, J. & J. N., Salford
&c., &c., &c.

Some Important and Undeniable Reasons

why you should instal you House, Business Premises, &c., with the "KYL-FYRE" EXTINGUISHER in preference to any other on the Market.

I. "KYL-FYRE" being a Dry Powder will last indefinitely, and does not deteriorate or solidify in the tube, or require any attention.

II. The effect of the Extinguisher on an outbreak is instantaneous. When the Powder strikes heat, it immediately generates a powerful but harmless gas which displaces the Oxygen in the air, thus instantly smothering the flames.

III. It can be thrown on to the most delicate Fabrics, Tapestry, Silks, Pictures, Books, Papers, Carpets, &c., when the outbreak has been extinguished it can be easily swept or blown off the article, and what has not been injured by the Fire will be found to have sustained no damage. This would not be the case if Water or some Liquid Chemicals were used.

IV. It is the Cheapest and the most Effective, and can be used by a Child. A small initial outlay secures permanent protection.

V. It is indispensible for extinguishing Fires caused by Petrol, Paraffin, and other Inflammable Oils, as it is a well-known fact that only a Dry substance is successful on outbreaks of this description, whereas Liquid only tends to feed the flame.

Specification and Report, "Kyl-Fyre" Dry Powder Fire Extinguisher.

By Mr. GEORGE E. MONCKTON, *late Organizing Secretary, &c., to The British Fire Prevention Committee, and Technical Adviser to "Kyl-Fyre," Ltd., 12 Elms Buildings, Eastbourne.*

Name.—"Kyl-Fyre."

Description.—Dry Powder of secret composition put up in a cylindrical tube which holds Powder in bulk as follows: 20 in. long by 2¾ in. diameter, holds 5¾ lbs. of Powder.

This tube is cylindrical and at the top is attached a cap which fits into a groove. At the top of the cap a triangular loop of stout wire is firmly fixed. A stout nail or hook must be driven into the wall from which the tube is suspended. The cap is adjusted with just sufficient resistance to support the weight of the tube when charged, and thus it only requires a 2 lb. pull to render the appliance instantly operative. The top of the tube should measure 6 ft. 6 in. from the ground when placed in position.

Method of Manipulation, &c.—It must be pointed out with reference to above that 6 ft. 6 in. is a most convenient height from the ground as it enables the manipulator: (1) To catch a firm grip on bottom of tube; (2) To give additional weight to pulling tube off the hook which automatically releases top; (3) Enables the Directions for Use on the appliance to exactly face the eye of the manipulator.

Directions on Tube.—PULL DOWN AND THROW THE CONTENTS WITH FORCE INTO THE BASE OF THE FLAME. NEVER SPRINKLE.

General Effects of Powder on Outbreaks.—As soon as the Powder strikes heat it immediately generates a powerful gas which extinguishes the flames by displacing oxygen. The powder must have heat to generate the gas, and the hotter the outbreak the greater the effect and the less powder absorbed in the extinguishing process.

A great advantage of your Dry Powder Extinguisher is that there is no soakage or unnecessary damage to valuable or delicate objets d'art, papers, pictures, books, tapestry, &c., as the Powder is not in any way injurious to the most delicate fabrics and can be easily brushed or blown off, which is not the case with Chemical Fire Extinguishers. I find the same work can be done with your Extinguisher in much less time than a chemical fire appliance takes without incurring unnecessary injury to property and at a minimum cost, and in connection with this opinion I have subjected your Extinguisher to exhaustive and comparative experiments on Petrol, Petroleum, and the most inflammable substances, &c.

Technical Advantages.—You can undoubtedly claim: Automatic readiness; Instant and simple manipulation; No soaking of material or premises; Universal protection against serious outbreaks in buildings of every description; No appreciable space required for installation; The powder will last indefinitely and will not solidify; Minimum cost.

(Signed) GEORGE E. MONCKTON.

Important to Motorists.

BLAZING PETROL VANQUISHED.

EQUIP YOUR CARS WITH "KYL-FYRE" EXTINGUISHER.

THE CARDIFF MOTOR HOUSE, 51, QUEEN STREET, CARDIFF.

"KYL-FYRE"
12, Elms Buildings, Eastbourne. *Sept.* 19*th*, 1907.

DEAR SIRS,

I have returned to you two Cylinders which are now empty.

I recently had a very valuable car worth £850 in great danger of being destroyed, as, owing to a "back fire" all the petrol in the carburettor caught fire, and this spread to other parts of the engine and chassis. My foreman instantly took down from the garage walls a cylinder of "Kyl-Kyre" and this acted like magic in putting out the flames. I also found it of great use in putting out a motor cycle which was on fire, and now I keep a number of Cylinders of "Kyl-Fyre" in both my Works and Showrooms.

Yours faithfully,

(Signed) GIBBON BROOKS.

PRESS EXTRACT.

"Western Mail." *May* 22*nd*, 1907.

MOTOR CYCLE ON FIRE AT NEWPORT.—The unusual sight of a motor-cycle on fire has been seen at Newport. A Mr. Jones, of Cwmbran, left his machine at the premises of the Newport Garage, in Commercial-street, and when he went to get it at midnight he lit up his acetylene lamp. By some means yet to be explained the flame spread to the accumulator, and ignited the petrol in the tank. The fire became quite unmanageable, and shot up to the ceiling, but a man named Edward Broadman, having obtained one or two patent fire extinguishers, threw them on the burning mass and put the fire out. No great damage was done to the garage premises, but the cycle suffered to the extent of £8 or £10.

PLEASE NOTE.—*The Extinguisher above referred to is "Kyl-Fyre."*

Testimonial from Messrs. CAFFYN BROS.,
Automobile Engineers, Marine Parade, Eastbourne.

DEAR SIRS, *Jan.* 25*th*, 1907.

We have much pleasure in stating that we have found your "Kyl-Fyre" Extinguisher most effective on several occasions when we have had the need to use same and know them to be most efficient in extinguishing Petrol Fires.

We would strongly recommend one being carried on every car.

Yours faithfully,

CAFFYN BROS.

Testimonial from The Seaford Motor Engineering Works and Garage, Steine Road, Seaford.

DEAR SIRS, *June*, 1906.

Thanks to "Kyl-Fyre," we were prevented the loss of a car, also a motor cycle, from fire on two separate occasions this month. The car, a 4-cylinder Panhard, with a magnificent body, costing £1,600, caught fire through back firing into the carburettor, which caught light, also the grease which had accumulated in the shield underneath engine. In a moment there was a flame 4-ft. high; "KYL-FYRE" was hanging near and was immediately used, and in less time than it takes to tell the fire was out without one penny damage (the dis-colouring of the front glass was the only trace left). We were able to blow off all the powder with a foot pump, thus leaving no trace of its use.

Yours faithfully,

J. MARTIN, *Manager.*

FIRE UPON WHICH 2 GALLONS OF PETROL HAD BEEN THROWN.

DEMONSTRATION AT TUNBRIDGE WELLS, October 24th, 1906.

Extract from "The Kent and Sussex Courier," Oct. 26, 1906. On Wednesday afternoon, at the Down-lane Football Ground, a demonstration of fire extinguishing by the aid of a most efficient dry process, known as "Kyl-Fyre," was carried out, in the presence of over 200 spectators. A wooden structure, which had been doubly coated with tar and filled with pieces of timber and paper, and afterwards saturated with petrol, was ignited. Instantly the flames burst forth, and in a few seconds the whole was a burning mass, with flames leaping 20 ft. high.



THE RESULT OF "KYL-FYRE."

Extract continued.— . . A tube of the powder was sufficient to allay the outburst, while about half of a second tube completely extinguished the fire, the whole procedure of extinction not occupying more than a few seconds.

Some Equipments of "KYL-FYRE."

Corporations.

BIRMINGHAM.
LEICESTER,
GLOUCESTER.
BEDFORD.
ASHTON-UNDER-LYNE.
EASTBOURNE.
DARWEN.
STOCKPORT.
SWANSEA.

Electricity Works.

SOUTH METROPOLITAN ELECTRICITY WORKS
THE KENSINGTON AND KNIGHTSBRIDGE ELECTRIC LIGHTING Co., Ltd., London.
THE CHELSEA ELECTRICITY SUPPLY Co., Ltd., London, S.W.
NEWCASTLE-ON-TYNE ELECTRIC SUPPLY Co.
CITY of BIRMINGHAM ,, ,,
ASHTON-UNDER-LYNE ELECTRICITY WORKS.
BEDFORD ,, ,,
STOCKPORT ,, ,,
CLEVELAND & DURHAM ,, ,,
EASTBOURNE ,, ,,
WESTERN ELECTRIC, North Berwick.
DARWEN ELECTRICAL WORKS.

Cotton Mills.

JOSEPH BYRON & SONS (5 Mills), Droylsden
REYNER'S LIMITED, Ashton-under-Lyne.
THE TIMES MILLS, Ltd., Middleton.
PARK MILLS, Stockport.
BROOKSIDE WEAVING Co., Darwen.
ECCLES BROS., Croft Mills, ,,
NAT. and J. ECCLES' Mills ,,

Factories.

NATIONAL GAS ENGINE Co., Ltd., Ashton
CHRISTY & SON, LTD., Stockport.
H. FAULDER & Co., Ltd. ,,
BIRKETT & BOSTOCK, Ltd. ,,
DAIMLER MOTOR Co., Ltd., Coventry
J. ROBERTSON & SON, Ltd., Jam Works, Droylsden.
T. WATERHOUSE & Co., Manchester.

Breweries.

THE STAR BREWERY, Eastbourne.
JARVIS and Co., Bedford.
C. WELLS ,,
FULLER'S BREWERY, Bedford.
BALLARDS' ,, Lewes.
THE VICTORIA BREWERY, Plymouth.

Laundries, &c.

PRIMROSE LAUNDRY, Ltd., Earlsfield, S.W.
PRINCESS STEAM LAUNDRY, Southend.
CHANNEL LAUNDRY, Brighton.
LANCASTER ,, Hove.
THE SWAN LAUNDRY Co., Ltd., Eastbourne.
THE FAIRLIGHT LAUNDRY ,,
THE SWANSEA LAUNDRY Co., Swansea.
RUGBY STEAM LAUNDRY, Rugby.
CENTRAL LAUNDRY Co., Eastbourne.

Business Houses.

MESSRS. COOK, SON & Co., St. Paul's Churchyard, London.
MESSRS. WATERLOW & SONS, Ltd. ,,
MESSRS. McCORQUODALE & Co., Ltd. ,,
ARMY & NAVY CO-OPERATIVE SOC., Ltd. ,,
CIVIL SERVICE SUPPLY ASSOC., Ltd. ,,
INDO-EUROPEAN TELEGRAPH Co., Ltd. ,,
Messrs. FULLER'S, Ltd., London.
,, JOHN SIMMONS & Co., London.
,, SALAMAN & Co., Ltd. ,,
,, G. FARMILOE & SON, ,,
,, DAVID CARLOW & SON, Glasgow.

Hotels.

HOTEL-DES-INDES, Ostend.
HOLBORN RESTAURANT, London.
HOTEL METROPOLE, Swansea.
WARNE'S HOTEL, Worthing.
HYDRO HOTEL, Eastbourne.
CHATSWORTH HOTEL ,,
GILDREDGE HOTEL ,,
And 10 others in Eastbourne.
ROYAL HOTEL, Lowestoft.
MITRE HOTEL, Manchester.
ROYAL HOTEL, Hastings.
ROYAL RESTAURANT, Eastbourne.
BLACKMAN'S HOTEL, Worthing.
QUEEN'S HOTEL, Westcliff.
ROYAL ALBION HOTEL, Margate.

Hospitals, Unions, &c.

BEDFORD COUNTY HOSPITAL.
PRINCESS ALICE HOSPITAL, Eastbourne.
R.D.C. ISOLATION HOSPITAL ,,
COTTAGE HOMES, Eastbourne.
BUSHBY HOME, Hastings.
UNION WORKHOUSE, Ipswich.

Colleges and Schools.

ETON.
HARROW.
CHRIST'S COLLEGE, Blackheath.
CULHAM COLLEGE, Abingdon.
UNIVERSITY SCHOOL, Hastings.
ST. MARY'S ,, Abbots Bromley.
ST. ANNE'S ,, Rugeley.
About 50 in Eastbourne.

Mansions, &c.

MOURNE PARK, County Down, Ireland.
ERIDGE CASTLE, Sussex.
HIGHFIELD HALL, Bradbury.
BODEN HALL, Cheshire.
KENFIELD HALL, Kent.
FAIRFIELD COURT, Eastbourne.
MEADS COURT, ,,
ALDINGTON COURT, Maidstone.
FOLKINGTON MANOR, Sussex.
KNAPPING MOUNT, Harrogate.
RIPLEY CASTLE, Yorkshire.
WISTUSTON MANOR, Crewe.

Training Stables.

Messrs. NIGHTINGALL, Epsom
,, GOBY ,,
,, L'ANSOM ,,
Messrs. ESCOTT'S, Lewes.
,, DOWN'S ,,
,, SMITH ,,
,, PAGE ,,
,, FRITTON.

Theatres, &c.

DALY'S THEATRE, Leicester Square, W.
THEATRE ROYAL, Worthing.
EASTBOURNE PIER, Eastbourne.
THE HIPPODROME ,,
WORTHING PIER, Worthing.

Motor 'Bus Companies and Garages.

EASTBOURNE CORPORATION MOTOR 'BUSES.
WORTHING MOTOR 'BUS Co.
SUSSEX MOTOR GARAGE Co., Worthing.
BEATTIE & Co., Wolverhampton.
THE DAIMLER Co., Coventry.
THE WOLSELEY MOTOR Co., Coventry.
CARDIFF MOTOR HOUSE, Cardiff

Since the above was compiled orders have been received from the following—THE ALLAN LINE, THE CARDIFF "HALL" LINE, NEWCASTLE CORPORATION TRAMWAYS; MIDDLETON CORPORATION ELECTRICITY WORKS, PENARTH PROMENADE AND LANDING PIER, LTD.; BROMPTON & KENSINGTON ELECTRICITY SUPPLY Co.; PRINCE OF WALES' DRY DOCK Co., LTD., SWANSEA; KING'S DOCK, SWANSEA; JOHN BARKER & Co., LTD.; WARING & GILLOW, LTD.; LIBERTY & Co.; FISHER, RENWICK & Co.; SAN PAULO (BRAZILIAN) RAILWAY Co., LTD.; HULSE & Co., LTD., SALFORD; CORPORATION OF TAUNTON; FELLING-ON-TYNE DISTRICT COUNCIL; THE UNION JACK CLUB, &c., &c.

FIRE EXPERTS' OPINIONS.

CITY OF BIRMINGHAM CHIEF FIRE BRIGADE STATION.

To J. A. HEMMING, ESQ. *(Agent)*,

10 Haydon Chambers, 83 High Street, Birmingham. *Oct., 1906.*

DEAR SIR,

In reply to yours I beg to inform you that a short time ago I attended a demonstration of the above. A wooden structure being erected, containing a quantity of timber and shavings saturated with petroleum, was lit and the same smothered by "Kyl-Fyre" within the short time of 30 seconds.

Yours faithfully,

A. R. TOZER, *Chief Officer.*

EASTBOURNE BOROUGH FIRE BRIGADE.

DEAR SIRS, *March 21st, 1906.*

Having had some tests with "Kyl-Fyre" and other similar powders and liquid chemical extinguishers, at the Corporation Motor and Electricity Works on January 25th, I was so satisfied with the results, that I recommended that two should be carried on each of the motor busses, which recommendation was adopted by the Council.

This, I think, shows both the Committee's and my own opinion as to the merits of the "Kyl-Fyre."

Yours faithfully,

J. A. HOUNSOM, *Captain.*

COUNTY BOROUGH OF BURNLEY FIRE BRIGADE STATION.

Sept. 16th, 1905.

I have this day, in the presence of several gentlemen, tested the "Kyl-Fyre" sample of Improved Dry Powder Fire Extinguisher submitted by you. After lighting a fire of wood and shavings saturated with paraffin oil, the powder was thrown on the flames; the effect was marvellous, a large fire having been extinguished in 50 seconds. It is, in my opinion, the best Fire Extinguisher that I have seen, and should be kept on all business premises.

The "Kyl-Fyre" has a great advantage over the liquid because no damage whatever is done to any kind of articles by the powder.

THOS. STEDMAN, *Superintendent.*

MINEHEAD FIRE BRIGADE.

DEAR SIRS, *23rd January*, 1905.

I was very well pleased with the result of "Kyl-Fyre" at the test we gave it on Saturday.

It was very effective in putting the Fire out quickly.

Yours truly,

J. CROOTE, *Captain.*

The Liverpool Association for the Protection of Commercial Interests as respects Wrecked and Damaged Property.

THE LIVERPOOL SALVAGE ASSOCIATION.

25th October, 1906.

Messrs. The "Kyl-Fyre" Company,

The undersigned, Officers of this Association, were lately present at a Fire Extinguishing Demonstration, when a huge and fierce fire in a wooden chamber, created by mixing petrol with dry timber, was almost immediately extinguished by throwing the contents of one tube on the fire. This was repeated a second time with similar astonishing and satisfactory results.



PRESS EXTRACTS.

The Times. *July 11th*, 1906.

FIRE EXTINCTION BY A DRY PROCESS.—A Demonstration by "Kyl-Fyre" Limited, of 12 Elms Buildings, Eastbourne, of a new fire extinguishing device took place on Friday, at the Cadogan Motor Garage Company's Works, Chelsea, mainly with a view to showing the application of the device for extinguishing fires in motor garages and on motor cars, and was conducted under the supervision of Mr. George E. Monckton, M.A. Two erections of wood were soaked, one with wood, and the other with paraffin, and after being lighted and allowed to burn fiercely, had discharged upon them from a tube of the familiar fire extinguisher pattern a dry powder, which in a short time totally extinguished the flames. The manufacturers claim that the device is more efficient than any of the liquid fire extinguishing preparations on the market, while the cost is quite 50 per cent. less.

The Westminster Gazette. *July 7th*, 1906.

TO DEAL WITH MOTOR FIRES.—Motor-car fires are sufficiently frequent, and in towns occur in circumstances with such dangerous possibilities, that any mode of readily extinguishing them will be welcomed. Many experiments have been made in order to find something that will be more readily available and less destructive than the sand which is commonly employed; and the outcome of one of these was shown yesterday to a party of members of the L.C.C. Fire Brigade Committee and experts who gathered at the Cadogan Garage. The invention consists of a powder which, when thrown upon a fire, extinguishes it at once; and that it does this was plainly demonstrated. The powder was stated to be in use at several of the leading London theatres and music halls, and the especial advantages which were claimed for it were its cheapness, its readiness of application, and its harmlessness.

Electrical Review. *Dec. 7th*, 1906.

FIRE TESTS WITH FIRE EXTINGUISHERS.—Red book, No. 115, of the British Fire Prevention Committee. This contains the results of tests with the "Kyl-Fyre" dry powder extinguisher, which proved capable of smothering fires in their incipient stages.

The Dundee Courier. *July 7th*, 1906.

I was present this afternoon at an interesting display of fire extinction which was given in Chelsea at the Cadogan Garage. The method used is known as "Kyl-Fyre," which is a powder, the effect of which, thrown upon an outbreak of fire, is to quickly extinguish it. The "Kyl-Fyre" demonstration was thoroughly successful. A wooden structure, coated twice with tar, and drenched with petrol, was set on fire, and in a few seconds the flames were extinguished by means of the powder known as "Kyl-Fyre." The new extinguisher is contained in a tube, and the powder is thrown over any outburst of fire which may occur in premises where the tubes are kept. It is undoubtedly a most useful means of quenching fire in its early stages.

Mineral Water Trade Journal. *Aug. 17th*, 1906.

HOW TO FIGHT FLAMES.—Experiment witnessed by the *Journal*.—As a representative of a great industry we received an invitation to witness a demonstration by the new fire extinguisher known as "Kyl-Fyre." We had been sceptical of these many inventions which we had been assured would subdue Gehenna in the twinkling of an eye. However, our cicerone, himself a well-known manufacturer who knew the menace which must ever be associated with a trade like ours, bade us suspend our judgment in this instance. "Advise whom you will to witness its method among your manufacturers and they will," prophesied he, "be satisfied with its effectiveness." Well, we witnessed it. A fire of Tophet-like fierceness ministered to by combustibles of the most enticing character was kindled in a yard. The flames rose in consuming fierceness many feet high; but after the application of this powder—("Kyl-Fyre" is a dry powder which is ejected from a tube)—the flames sank, smouldered, withered, and died, and all within a comparatively few seconds. It was a remarkable demonstration—this, indeed, is what the *Times* dubs it. What is as noteworthy, is the effectiveness with which the mechanism (it is so simple that we scarcely care to call it "mechanism") can be installed. A nail is fixed about six feet from the floor, the tube is suspended, and when pulled down in case of fire, it is in immediate application. As gratifying to manufacturers must be its economy. Your tubes cost little, and when used up in case of fire are re-filled free of charge.

East Anglian Daily Times. *Nov. 1st*, 1906.

FIRE EXTINGUISHING DEMONSTRATION AT IPSWICH.—Although the atmospherical conditions prevailing on Wednesday were not of an ideal character for out-door fire extinguishing demonstrations, some exceedingly successful and interesting experiments were carried out in the afternoon by the new "Kyl-Fyre" extinguisher, on land adjoining Messrs. Cocksedge & Co.'s Rapier Street Works, Stoke, in the presence of a number of spectators, including, in addition to Supt. W. Wheeler, of the Ipswich Fire Brigade, Captain Stephen Phillips, Harbour Master, and Mr. A. Sizer, Chairman of the Ipswich Board of Guardians, and representatives of several of the leading firms in the town. The "Kyl-Fyre" extinguisher consists of a pink-coloured powder contained in a long tube, which by means of a loop in the lid, can be hung on a nail, ready for use when occasion arises. All that is necessary is for the tube to be snatched from the lid, and contents thrown into the flames. For the demonstrations yesterday a wooden structure had been erected, and after being filled with long strips of timber and paper, was soaked with petrol and afterwards set on fire. When the flames had fully enveloped the case, and the whole was burning fiercely, a quantity of the powder was applied, with truly astonishing results, for in a very few seconds the fire was completely extinguished. Some of the important elements of the "Kyl-Fyre" are its cheapness, simplicity and harmlessness—the powder inflicting no damage whatever on any article it may fall upon. The tubes are re-filled free after use in case of fire. The proprietors and manufacturers are "Kyl-Fyre" Ltd., of Eastbourne and London.

The Municipal Journal. *July 13th*, 1906.

A NEW FIRE EXTINGUISHER.—The Eastbourne Town Council has been so satisfied with the results obtained from a certain fire extinguisher powder, recommended by one of its officials, that it has decided that two tubes of this powder shall be carried on each of the corporation motor-buses. The powder, which by the way, is of English manufacture, is called "Kyl-Fyre."

PRESS EXTRACTS.

The Liverpool Daily Post & Mercury.

Sept. 22*nd*, 1906.

A NEW FIRE EXTINGUISHER.—A highly-interesting demonstration, showing the capabilities of a new fire extinguisher known as "Kyl-Fyre," was given yesterday afternoon, on Collins's Fair Ground, in Scotland-road, in the presence of a large gathering of spectators, which included representatives of the Liverpool Salvage Association, Insurance Companies, Liverpool Underwriters, and the Telephone Company. Superintendent Thomas and Chief Officer Muir, of the Salvage Corps, were also present. The patent has been acquired by "Kyl-Fyre" Limited, of Eastbourne and London, and the tests were carried out under the direction of Mr. C. A. Needham. "Kyl-Fyre" consists of a pink-coloured dry powder, which is ejected from a tube, and which when thrown over any burning material extinguishes it almost immediately. No damage whatever is done to any kind of articles by the powder, and the tube can be used as easily by a child as by a man or woman. There have been many experiments with the powder, and those made yesterday were most satisfactory, and greatly impressed the visitors. A large wooden case containing pieces of timber and paper, the whole being soaked with petrol, was set on fire, and when the flames had fully enveloped the case and were burning fiercely, a quantity of the powder was applied. The result was truly astonishing, for in an incredibly short space of time the fire was completely extinguished. For subduing outbreaks in their early stages this latest device must be invaluable. The special advantages claimed for the invention are its cheapness, its readiness of application, and its harmlessness. It is also most useful for motor-car and chimney fires.

Manchester Evening Chronicle. *Oct.* 5*th*, 1906.

A NEW FIRE-FIGHTER.—The merits of a patent dry powder fire-extinguisher, known as "Kyl-Fyre," were this afternoon put to a test in the Albert-street police yard.

A wooden structure soaked with tar and petrol was set ablaze, and when the fire had been allowed to obtain a good hold, the extinguisher was applied. The result was magical, and the flames were totally extinguished in the short space of fifteen seconds.

Engineering. *Dec.* 28*th*, 1906.

FIRE-TESTS WITH FIRE EXTINGUISHERS.—The appearance of the 115th of the red-books which are published by the British Fire-Prevention Committee is particularly worthy of notice, because the book contains a description of the first tests that the committee have undertaken of a portable hand-extinguisher. The object of the tests was to ascertain the effect of the application of "Kyl-Fyre" dry powder extinguisher (an apparatus made by "Kyl-Fyre" Limited, of Eastbourne) upon various burning materials, both in a confined room and in the open. The following were the tests applied :—Three tests to ascertain the effect of the application of the extinguisher on a fire which was started at a dressing table in a bedroom, with curtains above, and loose material about, to make a fairly good blaze in a short time ; two tests to show the effect of the powder on a burning crate of loose wood wool ; two tests to show the effect of the powder on a heap of burning rubbish composed of hay, straw, and wood scraps placed in the centre of a room ; four tests in the open, when the effect of the apparatus was tried on burning wood laths sprinkled with spirit ; one test was in the open, to ascertain if the burning vapour of petrol, sprinkled on boards, could be extinguished ; one test was made on burning straw in a high rack in a stable, two tests in which the extinguishing effect of the powder on burning celluloid was tried, while another test was carried out on a heap of burning oily rags and dirty cotton waste. As a result of these tests it was found that as soon as the powder came in contact with the blazing material, the flames were subdued and extinguished.

Liverpool Journal of Commerce. *Sept.* 22, 1906.

TEST OF NEW FIRE EXTINGUISHER.—TRIALS IN LIVERPOOL.—Yesterday a number of experts and others attended a demonstration of the patent "Kyl-Fyre" extinguisher, which took place on a waste ground off Scotland-road. A pile of wood was built up and then saturated with petrol and ignited. When the flames had secured a good hold, and the pile was blazing fiercely, two of the extinguishers were emptied upon the fire, immediately killing the flames, and a third one completed the operation. Great satisfaction was expressed by those present, which included Chief Superintendent Thomas (Fire Brigade), Chief Officer Muir (Salvage Brigade), &c.

The Bedford Mercury. *Nov.* 16*th*, 1906.

A NEW FIRE EXTINGUISHER.—On Wednesday afternoon last, on a piece of vacant land at the rear of Horne-lane, an interesting demonstration was given of the use of a new fire extinguisher called "Kyl-Fyre." This is a dry soft smooth powder of pink colour, which it is claimed will never loose its virtue, and never cake or corrode the tin tubes in which it is sold. As with other extinguishers the tubes are meant to be hung up by a wire loop on a hook or nail, about six feet from the ground, and on the first outbreak of a fire should be pulled down and the powder cast, as closely as possible, into the heart of the fire, not sprinkled as with liquid extinguishers. A wooden casing had been built up, and in this were set a number of laths of timber of all sizes, with paper below them ; these were saturated with petrol ; when a match was thrown in there was quite an explosion of fire and instantly a great blaze of flame many feet high ; the wood quickly caught, and when this was well alight and a great heat given out the "Kyl-Fyre" powder was thrown in and in a very few seconds all danger was over, and the last flame extinct in 27 seconds. The demonstration was witnessed by Chief Officer Hill and Third Officer Corby, of the Fire Brigade, Councillors Wells and Freshwater, and a number of tradesmen and others, who all expressed surprise at the result. The great advantage claimed for "Kyl-Fyre" over other extinguishers on the market is that there is no risk of damage by water, no danger to person or fabric from the powder, whilst it is by far the cheapest thing in the field. The demonstration was conducted by Mr. C. A. Needham, the testing engineer to "Kyl-Fyre" Ltd.

We understand that at a fire at Worthing a tube of "Kyl-Fyre," which had been hanging in the Theatre for some three years, was instantly successful in extinguishing the flames. The product has just recently been subjected to a very severe set of trials by the British Fire Prevention Committee. The test in Bedford would certainly show that everyone who keeps petrol on or near his premises ought to be provided with a supply of this valuable invention. We presume a local agent will be appointed for th sale of "Kyl-Fyre."

A few Testimonials from Grateful Clients

Whose Premises have been saved from Destruction.

From **Messrs. M. REEVES & SON, Cycle Factors, Church Road, Hayling Island.**

DEAR SIRS,

We can certify to the effect that "Kyl-Fyre" has on a fire, having had occasion to use it on May 8th, 1905. Having a tube handy, it was very effective, and immediately put out the flames, otherwise we must have had a big fire.

Yours truly,

M. REEVES & SON.

"RODMILL," Eastbourne.

DEAR SIRS, 15*th March*, 1905.

I found your "Kyl-Fyre" Dry Powder Fire Extinguisher most useful and effective in putting out the rather serious fire which occurred here on the 4th inst.

Please send me the additional ones ordered as soon as possible, as in future I intend to keep them in different parts of the house ready for any future similar emergencies.

Yours faithfully,

The "Kyl-Fyre" Co. WM. LANGRIDGE.

From **The NEW BROOKFIELD SPINNING Co., Ltd., Cotton Spinners, Brookfield Mill, Halliwell.**

DEAR SIRS, *Bolton, Sept. 8th*, 1905.

A short time ago we purchased some "Kyl-Fyre" fire extinguishers from you, and are very pleased to state that we have found them to act splendidly in actual use, doing everything that you claimed for them.

This morning we had a fire on our premises, the head stocks, etc., of two mules caught fire, and they were burning very strongly when we brought the "Kyl-Fyre" into use, and one tube immediately put out every trace of fire, and without the damage which other extinguishers, containing water, do; and but for their prompt action we should have had a very serious loss.

We think that they should have a place in every mill, as they are very cheap, handy, simple to use, and most efficient in their action, and we shall strongly recommend them.

Yours truly,

WM. FLETCHER, *Manager*

P.S.—Please find enclosed another order, which please deliver at once.

Sidney Road, Bedford.

Dec. 20th, 1906.

DEAR SIR,

Please accept my best thanks for your very timely assistance at the fire which occurred in my dining room last Tuesday evening, and but for the prompt use of "Kyl-Fyre" which you so fortunately had by you, the consequences must have been disastrous.

You are to be congratulated in securing the agency for such an effective article.

Yours truly,

F. C. FINCH.

MR. E. A. WOODFORD,

Agent for "Kyl-Fyre," Ltd., Bedford.

CULHAM COLLEGE, Abingdon.

DEAR SIRS, 13*th Dec.*, 1905.

On Friday last, Dec. 8th, we had here a large flue fire. Three tubes of "Kyl Fyre" were used and proved very effective indeed. I apply for powder to refill those three tubes, as per agreement,

And remain, Dear Sirs,

Yours very truly,

J. S. DAVIS.

(Captain, Culham College Fire Brigade).

THEATRE ROYAL, Worthing.

Manager: C. ADOLF SEEBOLD.

DEAR SIRS, *July 7th*, 1906.

In reply to yours, I used 3 "Kyl-Fyre" Extinguishers at the fire in Bath Place, and shall be very pleased if you will replace them.

I had never seen them used, and must say was most astonished at the good effect and the quick way in which I mastered the fire with them. I shall never be without them, and have recommended them to a lot of people.

I do not think that I could give you a better account of the fire than the one you will see in the "Worthing Gazette," which I am sending you.

Yours faithfully,

C. A. SEEBOLD.

The "KYL-FYRE" Co.

A few Testimonials from Grateful Clients

Whose Premises have been saved from Destruction.

From **A. T. ECCLES & SONS, Cotton Spinners and Manufacturers, Bottom Croft Mill, Darwen.**

Dec. 27th, 1905.

GENTLEMEN,

We had an outbreak of fire, caused by friction, on the 12th inst., at our Darwen Mills.

Fortunately we were in possession of your "Kyl-Fyre," which proved most effective in putting out the sudden outbreak of fire on being applied, in consequence of which our loss was comparatively small, otherwise the result would in all likelihood have been very serious. From this experience we have every confidence in recommending this Fire Extinguisher to all concerned, and we have much pleasure in testifying to its efficacy.

Yours faithfully,

p pro. A. T. ECCLES & SONS,

JNO. W. BURY.

---

9 & 11, Elms Avenue, Eastbourne.

July 17th, 1906.

DEAR SIRS,

I write to tell you about a fire that occurred at No. 11 Elms Avenue on the evening of the 11th inst, and which was promptly extinguished by one of your "Kyl-Fyre" tubes. The fire broke out by the gas igniting the ornamental shade, which fell on the table and set fire to the cover and cloth and carpet. I am more than pleased with the result, as I had just had the drawing room and dining room and other parts of the house re-decorated. The "Kyl-Fyre" extinguished the fire so quickly that no damage was done to the room. I felt quite secure in being insured, but at the earnest solicitation of your Agent, I equipped both houses with "Kyl-Fyre" quite recently.

Yours faithfully,

(Mrs.) M. A. TOOGOOD.

From **THE NEWCASTLE-UPON-TYNE ELECTRIC SUPPLY Co., Ltd.**

REGISTERED OFFICE:
ROYAL EXCHANGE BLDGS.,
NEWCASTLE-UPON-TYNE.

(Operation Department.)
CARVILLE POWER STATION,
WALLSEND-ON-TYNE.

Messrs. KYL-FYRE, Ltd.,
12 Elms Buildings, Eastbourne.

Dear Sirs,

We understand that whenever your "Kyl-Fyre" Extinguisher fire apparatus is used in extinguishing a fire you supply, free of cost, the necessary material for filling the tubes. If this be so, we should like a sufficient quantity to re-fill eight tubes which were used on two electrical fires we had in one of our substations during this last fortnight. It gives us pleasure in stating that in both cases your Extinguishers acted admirably and no doubt prevented serious damage being done.

Yours faithfully,

For the
NEWCASTLE-UPON-TYNE ELECTRIC SUPPLY Co., Ltd.
J. CUSWORTH, *Engineer, Operation Dept.*

From **T. E. MARCHINGTON & Co., Bleachers, Dyers, &c., Droylsden, near Manchester.**

DEAR SIRS, *Dec. 21st*, 1906.

Will you kindly send us enough Powder to fill five tubes, which were used in extinguishing what bid fair to be a very serious fire in our raising room on the 19th inst. We may say the fire was put out so instantaneously that for the first time in our experience we were unable to make a claim from the Insurance Co. We have no hesitation in saying that your Extinguisher is the most effective we have ever met with.

Yours truly,

T. E. MARCHINGTON & Co

Messrs. KYL-FYRE, Ltd., Eastbourne.

G.R.S. 26] 2966 G.m

3

G.m File No. 242 610-11

Serial No. 2

fm

Diary No. of letter replied to _____

No. G.4599.

Messrs. Meetham Bros
1, Hastings Street,
Calcutta

General and Revenue Secretariat
( )
, *the* 190

To

Gentlemen,

Date of issue 7.2.11.

Signed by Sir B. Ramiasamiengar

With reference to your letter dated the 28th July 1910 addressed to the Dewan of Mysore re the Kyl-fyl tubes, I am directed ~~have the honour~~ to request you to supply this office with four of such spare tubes at an early date along with a bill of cost therefor at the special rate of 6/8 per tube. I am further to request ~~to state at the~~ that the six tubes supplied to this office on the occasion of this ~~same time that the special~~ purpose your Mess may also be charged for similar ~~rate quoted in your letter~~ under reply ~~is Rs 6/8~~ per tube in case of a ~~Consolidated order like this~~

X

flag O

(P. T.

over.

SUBJECT.

Six dozen of these tubes, it is stated by the Supdt, Govt Press, Bangalore, have already been supplied to his office ~~and~~ by your firm and a bill of costs for the same has been pending payment. I am to request you to charge these tubes at the special rate (viz Rs 6/8 per tube) only, as they are to be incorporated in the Consolidated order of this Government which is in all, for fifty four tubes.

Yours truly

Sd/-

for Offg Secy to Govt.

Memo:- [illegible] Bus

Copy to the Supdt Govt Press with ref. to his letter dated the 8th Aug. 1940

List of enclosures,

Copied by

Examined by

GPB—10,000—23-5-48

INDIAN LICENSE.

TELEGRAMS: "KYLFYRE, CALCUTTA"

BS

D 3559

G.M. 242-10-2

Sole Proprietors and Manufacturers under License of "KYL-FYRE" in India.

NEEDHAM BROS.,

~~4, Lower Rawdon St.~~,

13 Sudder Street. CALCUTTA.

February 13th 1911

To the Officiating Secretary
To Govt of H.H. The Maharaja of Mysore -
Bangalore -

Dear Sir/

9th Feb. y. 1911.

I beg to acknowledge the ucipt of your letter No. G. 4599 ~ with kind order for 48 Kyl-Fyre Tubes at the special Rate of R. 6/8/0 per Tube - and same will be forwarded this day carefully packed, and as soon as I ucive the Railway Receipt will forward same to you together with my Bill in duplicate for same - Re the 6 Tubes supplied to Govt Press - I hardly think it fair to ask me to rebate payment on these, as they were supplied prior to my letter making special price, and in making this price it was contemplated to embrace orders of 100 Tubes or more. This being the Govt Price paid by the Cordite Factory, Kilpauk on an order for 100 - I will however fill any further orders from you at the special Rate R. 6/8/0 per Tube -

Kindly have instructions given that whenever Kyl-Fyre Tubes are hung, it is advisable to have the caps dusted once in every 3 months, as the dust clings to the Roller of the Cap. & in the rains causes damps in this shape & if this is done they will last indefinitely -

I specially call your attention to the enclosed 2 Testimonials showing the efficiency of Kyl-Fyre after over 2 years on the premises -

I recently made an examination of the whole of the 200 Tubes purchased from us by Lazarus & Co. & in spite of the fact that no care had been taken of the bulk of the Tubes they were with the exception of 3 found in good order. These 3 had been left in the open in the Rains, & removed from the cover under which I had hung them - & consequently no fault of "Kyl-Fyre" that they were caked. I specially called the attention of the Firm to the fact that "Kyl-Fyre" Tubes should ucive ordinary care & attention the same as their furniture, & the Tubes hung in their Show Room & which had ucived proper care & attention looked as pure as the day they were purchased 3 years & 2 months ago

Trusting to ucive your further ~~esteemed~~ orders -

Yours faithfully -

Chas. A. Needham

INDIAN LICENSE.

G.m. 242-10-4

TELEGRAMS: "KYLFYRE, CALCUTTA."

D 3633

G. M. 242 of 10-11

Sole Proprietors and Manufacturers under License of "KYL-FYRE" in India.

NEEDHAM BROS.,

~~4, Lower Rawdon St.~~,

13. Sadder Street CALCUTTA.

February 14th 1911.

To the officiating Secretary to
Govt. of H.H. The Maharaja of Mysore -
Bangalore -

Dear Sir/-

I beg to confirm my letter of yesterday, & now beg to Enclose the Railway Receipt for 4 Cases of "Kyl-Fyre" (48 Tins), and also enclose my Bills in duplicate- Receipted. & you can mail cheque to above address when same has been passed for payment - awaiting your further esteemed orders -

Yours faithfully
Charles A. Needham

13. Sudder

~~4, LOWER RAWDON~~ STREET,

To Govt. of H.H. The Maharaja of Mysore -
Bangalore -

Calcutta, February 14th. 1911.

Bought of NEEDHAM BROS.

Sole proprietors of the rights in India for the manufacture and sale of "Kyl-Fyre"
Dry Powder Fire Extinguisher.

CASH BILL—*Please pay amount by cheque.*

Feb- 14.	To 48. Kyl. Fyre Tubes @ Special Price R.6/8/0	312 0 0	
	" 4 Cases.	4 0 0	
			R316 0 0

Needham Bros -

G.R.S. 28.]

3 drafts

for File No. 242-10
Serial No. 5

Diary No. of letter replied to

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.
( )

, *the* 19

Date of issue 4. 4. 11

Signed by M. B. Narasimhaiyangar

READ—

ORDER THEREON.—No. G5798—801 Encl (Enc 3 for Copy)
The purchase of four
dozen 'Kyl Fyre' tubes at ~~Rs~~
@ cost of Rs 3/6 ~~6/8 per tube~~ from messrs Needh
-am Brothers of Calcutta for
distribution among the offices
shown in the list annexed here
-to is sanctioned, the cost being

(P.T. over

SUBJECT.

GPB—5,000—7-5-09

met approximately from the Contingent grants of the several offices concerned.

2) The bill forwarded by the Comptroller with the request that it may be audited and arrangements made for the early payment of the amount to the party concerned at Calcutta.

3) The Charges of Rs 20-2-0 incurred by the Genl Asst Secty as the freight etc of the parcel of the tubes in question will be also proportionately distributed among the offices concerned.

RM.

Offg Secy to Govt.

To the Comptroller with the bill

" Dy of Police in Mysore

" Dy Conr, Bangalore Dist

" Conservator of Forests in Mysore

Copy to the Cash Section.

G.R.S. 26]

File No. 242-1
Serial No. 6

Diary No. of letter replied to

No. G 5802

General and Revenue Secretariat
( )
, *the* 19 .

Date of issue 4. 4. 11

Signed by W. B Narasimhamurthy

To
Messrs Needham Brothers,
13. Sudder Street
Calcutta.

Gentlemen,

In acknowledging the receipt of your letter dated the 13th and 14th ultimo and the Railway parcel containing four dozen 'Kyl-Flyre' tubes I have the honour to state that the Comptroller has on this office no: G.5798-801 dd 4.

(P. T. 8m 242-10-5 over.

SUBJECT.

requested to make arrangements for payment of the amount due to your firm at Calcutta at an early date.

Yours truly

for CHG Secy to Govt

x) I am to request of you the favour of an acknowledgm of the receipt of the amount.

List of enclosures,

Copied by

Examined by

GPB—20,000—25-9-10

Distribution list of the Kyl Fyre tubes among several offices or departments.

(D)

I G&R. Secretariat . . . . . 10 tubes

II The Police Department . . . . .

(i) Eight districts . . . 2 each . 16 . . .

(ii) Two divisions - - - 2 each . . 4 - - .
(French Rocks & K. G. F).

(iii) Two cities. . . 1 each 2
(Mysore & Bangalore)

(iv) The Chief Office Stores . - - - 4

(v) The Chief office . - - - 2

(vi) The Special Reserve . . . - 1

(vii) The Police Training School - - - 1.

III The Office of the Conservator of Forests 2

IV. The Bangalore District . . . .

Office to . .

(i) The District Office - - - - - - 1

(ii) do taluk of Hoskote . - - - - 1

(iii) do do do. Kankanhalli . - - - 1

(iv) do do do. Cheinapatna - - - 1

(v) do do do. Devanhalli - - - 1

(vi) do do do. Closepet - - - 1

Total. 48.

For O.K.S. Secy to Govt.

G.R.S. 29A]

190 .

From

Secy. to the Govt. of His Highness the Maharaja of Mysore, Genl. and Rev. Dept.

To 1) The Hy of Police
2) " Dy Comr, Bangalore Dist.
3) " Conservator of Forests,

Dated

Despatched 4. 4. 11

Received

General No. G 5803-5
Spl No. 242-10-7

Enclosure No. Mis (30, 6 & 2) 8+1

With refce to his[X] letter
no: dated the
re 'Kyl fyre', has the honour to forward herewith
'Kyl Fyre' tube/tubes and to request the favour of an acknowledgment of the receipt of the same.

B. O.

For Offg. Secy.

X
1). D.O. no: 8
dated the 27th Aug 1910
addressed to the Registrar, Genl & Rev Sects.

2). No. 283/S
dated the 9th Jany 1911

3) D.O. no: 1739
dated the 17th Aug 1910
addressed to the Registrar.
Genl & Rev Sects.

MGCFB—20,000—16-2-05

V 11/4 255

4131

1900-11

From The Deputy Commissioner
Bangalore District

To The Secretary
to the Govt of Mysore
Agl & Rev: Dept

Dated 10th April 1911 Bangalore

Despatched

Received

General No.

S. No. 443.

Enclosure No.

~~His No 4 5803-5 24-4-11~~
~~Gen 242-10-7~~

Acknowledges the Receipt
of Six "Xyl Type" Cubes forwarded
with your letter No G. 5803-5
Gen. 242-10-7
dated 4th April 1911.

G.m 242-10-8

S. No.

Deputy Commissioner's office
Bangalore district—
Dated 10th April 1911.

From.

B. J. Kumaraswami Nair Esquire B. A.
Deputy Commissioner
Bangalore district.

To.

C. S. Balasundaram Iyer Esquire B. A.
Officiating Secretary to the Government
of Mysore
General and Rev. Departments
Bangalore.

Sir,

I have the honor to acknowledge—
receipt of six "Kyl Type" tubes forwarded
with your letter R. No. G. 5803-5
Gen. 242-10-7 dated
4th April 1911.

I have the honor to be
Sir,
Your most obedient Servant—
[illegible]
Assistant Commissioner
for Deputy Commissioner
Bangalore district—

Copy

V 1814 for 95.

D 4440
9

15

Rev. Forests]

OFFICE OF THE CONSERVATOR OF FORESTS IN MYSORE,

No. 9458 *Bangalore, Dated* 17th April 19

Enclosures G. M. 242-10-9

From

RAI BAHADUR M. MUTHANNA, ESQ.,

Conservator of Forests in Mysore.

To

C.S.Balasundaram Iyer ESQ., B.A.,

Offg. *Secretary to the Government of*
H. H. the Maharaja of Mysore,
General and Revenue Departments.

SIR,

I have the honour to acknowledge with thanks the receipt of two tubes of "Kyl Fyre,", forwarded with your docket No. G 5803-5/ G.M. 242-10-7 dated the 4th instant.

I have the honour to be,

Sir,

Your most obedient servant,

M. Muthanna

Conservator of Forests in Mysore.

T.V.V.

GPB—1,000—1-7-10

FOREST DEPARTMENT.

FROM

The Conservator of Forests
in Mysore.

To

The Secretary to the Government
of H. H. the Maharaja of Mysore,
General and Revenue Departments.

No.

Dated

Despatched

Enclosures.

SUBJECT.

Gl. 19]

G.m 242-10-10

D 4508

9 16

It is requested that in future communications on the subject, the No. and date of this letter, and the distinguishing letters below the number as given opposite, may be quoted and addressed to the Comptroller, Mysore Government.

No. T.A.M. 778-9.

OFFICE OF THE COMPTROLLER, MYSORE GOVERNMENT.

Dated Bangalore, the 24 April *19* 11.

FROM

J. S. CHAKRAVARTI, ESQ., M.A.,
F.R.A.S., etc.,
Comptroller to the Government of
His Highness the Maharaja of Mysore.

To

..... ESQ.,

Messrs Needham Bros.,

CALCUTTA.

SIR,

Gentlemen,

Adverting to Proceedings No.G.5798/G.M.242-10-5 dated the 4th April 1911 of the Government of H.H.the Maharaja of Mysore, I have the honor to enclose herein a cheque on the Bank of Madras, Bangalore, for Rs.316/- drawn in your favor in payment of your bill for "Kyl Pyre" tubes supplied and to request an acknowledgment.

I have the honor to be,

Gentlemen,

Your most obedient servant,

(sd) T. Satyaraj Chetty.

Assistant Comptroller.

D.V.

Copy forwarded to the Secretary to Government, General and Revenue Departments, for information.

T. Satyaraj Chetty

For Comptroller.

GPB—2.500—20-9-10

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE,

No. 494 *Dated Bangalore,* 18th May 1912

FROM

C. Srikantesvara Aiyar Esquire, B.A., B.L.,
Offg. *Inspector-General of Police in Mysore.*

To

C.S. Balasundaram Iyer Esquire, B.A.,
Offg. *Secretary to the Government of H. H. the Maharaja of Mysore,*
General and Revenue Departments.

DIARY No. 5008
19/11-1912
SECTION G.M.
FILE No. 242-10
SERIAL No. 11

Sir,

Reference:- Your No.G.6058 dated 10-5-1912.

I have the honor to acknowledge the receipt of the 30 "Kyl Fyre" tubes forwarded with your ~~letter~~ No.G.5803-5/G.M.242-10-7 dated the 4th April 1911.

I have the honor to be,

sir,

Your most obedient servant,

Asst.to Offg. Inspr-General of Police

For Offg.Inspr-General of Police

Absent from station.

1911 —12

FROM

The Inspector-General of
Police in Mysore.

To

The Secretary to the Govt. of
H. H. the Maharaja of Mysore,
Gen. & Rev. Depts.

Dated

Despatched 18th may 1912

Received

General No. 494
No.

Enclosure No.

Acknowledging the receipt of "Kyl Type" tubes supplied in April 1911.

GPB—300—1-12-11